



HD-TVI+ RANGE



GT862TVI

2.1 Megapixel CMOS Sensor
Full HD-TVI @ 1080P (1920 x 1080)
3.6mm Lens
0.001 Lux, F1.2
12v DC, 300mA



GT762TVI

2.1 Megapixel Sony CMOS 1/2" Sensor
Full HD-TVI @ 1080P (1920 x 1080)
3.7mm Lens
TVI & CVBS video output mode
3D DNR
12v DC 500mA



GT612TVI

2.1 Megapixel Aptina Sensor
Full HD-TVI @ 1080P (1920 x 1080)
20m IR, 3.6mm Lens
ICR (IR Cut Filter)
DNR, Min Illumination @ 0.001 Lux
12V, 300 mA
IP66



GT896TVI

2.1 Megapixel Aptina Sensor
Full HD-TVI @ 1080P (1920 x 1080)
30m IR, 2.8-12mm Lens
ICR (IR Cut Filter)
DNR, Min Illumination @ 0.001 Lux
12V, 700 mA
IP66



NEW
All-in-One
TVI CVI AHD ANALOGUE



GT999UNI

1/2.9" CMOS
2 Megapixel, 25fps @ 1080p
AHD/TVI/ CVI/ ANALOGUE 1080p
2.8-12mm Lens, 25m Smart IR
Mechanic True Day & Night
IP66
Built-in cable management base



GT777TVIPRO

2.1 Megapixel CMOS Sensor
Full HD-TVI @ 1080P (1920 x 1080)
30m IR, 3.6mm Lens
ICR (IR Cut Filter)
OSD Over Coax
DNR, Min Illumination @ 0.1 Lux
12V DC

GTNV40TVI/W



GTNV40TVI

2.1 Megapixel Aptina Sensor
Full HD-TVI @ 1080P (1920 x 1080)
40m IR, 2.8-12mm Lens
ICR (IR Cut Filter)
3D DNR, Min Illumination @ 0 Lux
12V DC
IP66

GTNV40TVI/B



GTNV60TVI

2.1 Megapixel CMOS Sensor
Full HD-TVI @ 1080P (1920 x 1080)
60m IR, 2.8-12mm Lens
ICR (IR Cut Filter)
DNR, Min Illumination @ 0.001 Lux
12V, 700 mA
IP66



23x Optical Zoom
100m IR Range



GTSP23TVI

2.1 Megapixel CMOS Sensor
Full HD-TVI @ 1080P (1920 x 1080)
4-92mm Lens, 100m IR (ICR)
23x Optical Zoom, 16x Digital Zoom
Coaxitron, 3D -DNR, D-WDR,
360° endless, 12V DC
Wall Bracket & Power Supply Included



30x Optical Zoom
120m IR Range



GTSP30TVI

2.1 Megapixel CMOS Sensor
Full HD-TVI @ 1080P (1920 x 1080)
4-120mm Lens, 120m IR (ICR)
30x Optical Zoom, 16x Digital Zoom
Coaxitron, 3D -DNR, D-WDR,
360° endless, 24V AC
Wall Bracket & Power Supply Included

OPTIONAL ACCESSORIES



GTVBHD
HD Passive Video Balun



GTHDCATVP
HD Passive Video Balun (Power)



GTBASE
GT896TVI Base Bracket



GTWB
GT896TVI Wall Bracket



VSDB-03
GTSP30TVI Pole Mount Bracket



VSDB-04
GTSP30TVI Corner Mount Bracket



GTTVIKEY
RS-485 PTZ Controller

AES

SERAGE HD-TVI+ RANGE

G-TEC
HOME OF SERAGE

MADE IN
KOREA

HD-TVI
1080p



SRTVI-ID37

1/2.7" CMOS (2MP)
Full HD-TVI @ 1080P (1920 x 1080)
30m IR (30pcs IR LED)
3.6mm Lens
True D&N (ICR), 2D DNR
3 Axis Bracket
DC 12V

ANALOGUE OUTPUT
FOR TEST MONITOR

PREMIUM
HD-TVI
1080p



SRTVI-IDVF WDR

1/2.7" CMOS (2MP)
Full HD-TVI @ 1080P (1920 x 1080)
30m IR (30pcs IR LED)
2.8-12mm Lens, True D&N (ICR)
2D DNR, Defog, True WDR
3 Axis Bracket
DC 12V

HD-TVI
1080p



SRTVI-VD37/B

1/2.7" Progressive CMOS (2MP)
Full HD-TVI @ 1080P (1920 x 1080)
30m IR (32pcs IR LED)
3.6mm Lens, True D&N (ICR)
2D & 3D DNR
3 Axis Bracket
DC 12V, IP68

HD-TVI
1080p



SRTVI-VD37/W

1/2.7" Progressive CMOS (2MP)
Full HD-TVI @ 1080P (1920 x 1080)
30m IR (32pcs IR LED)
3.6mm Lens, True D&N (ICR)
2D & 3D DNR
3 Axis Bracket
DC 12V, IP68

HD-TVI
1080p



SRTVI-B37

1/2.7" CMOS (2MP)
Full HD-TVI @ 1080P (1920 x 1080)
30m IR, 3.7mm Lens, Day & Night (ICR)
DNR, OSD
Min Illumination @ 0.5 Lux
12V, 450 mA
IP68

ANALOGUE OUTPUT
FOR TEST MONITOR

PREMIUM
HD-TVI
1080p



SRTVI-BVF WDR

1/3" Progressive Panasonic (2MP)
Full HD-TVI @ 1080P (1920 x 1080),
WDR, 40m IR (42pcs IR LED)
2.8-12mm Lens, True D&N (ICR)
2D & 3D DNR, Defog
3 Axis Bracket
DC 12V, IP68

SRTVI-BVF70/D WDR

1/2.9 inch SONY CMOS (2MP)
Full HD-TVI @ 1080p (1920 x 1080)
WDR (Wide Dynamic Range)
70m Smart IR
High Performance Anti IR Reflection
2.8-12mm Auto Iris Lens
True D&N (ICR)

Defog Feature
Digital Noise Reduction (DNR)
Multi Language OSD
IP68
Built-in Base
DC 12V / AC 24C
Analogue Output as a Second Cable

Advanced IR LED 6 pcs
70m
SMART IR
ANTI IR
REFLECTION

PREMIUM
HD-TVI
1080p



OPTIONAL ACCESSORIES



GTVBHD
HD Passive Video Balun



GTHDCATVP
HD Passive Video Balun (Power)



SRTVIBW
Vandal Dome Base Bracket



SRTVIBB
Vandal Dome Base Bracket



SRTVIWWB
Vandal Dome Wall Bracket



SRTVIBWB
Vandal Dome Wall Bracket

SRTVIVDPRO - HI-POWER LED VANDAL DOME CAMERA

- 1/2.9 inch SONY CMOS (2MP)
- Full HD-TVI @ 1080p (1920 x 1080)
- WDR (Wide Dynamic Range)
- Smart 50m IR (0 Lux at IR On - IR LED 04 pcs)
- High Performance Anti IR Reflection
- 2.8-12mm Auto Iris Lens, True D&N (ICR)
- Defog, Digital Noise Reduction
- Multi Language OSD
- DC 12V
- IP68
- Built-in Base
- **Analogue Output as a Second Cable**



SRTVI-BVF/120 - HI-POWER LED BULLET CAMERA

- 1/2.9 inch SONY CMOS (2MP)
- Full HD-TVI @ 1080p (1920 x 1080)
- WDR (Wide Dynamic Range)
- Smart 120m IR (ADVANCED IR LED 12 pcs)
- High Performance Anti IR Reflection
- 6-50mm Auto Iris Lens, True D&N (ICR)
- Defog, Digital Noise Reduction
- Multi Language OSD
- IP68
- Built-in Base
- **DC 12V / AC 24C**
- **Analogue Output as a Second Cable**



4, 8 & 16 CH TURBO 3.0 TVI DVRs

Playback 12fps @ 1080p per camera

- H.264+/H.264 Dual-stream video compression (VT532TVI: H.264 Only)
- Supports HD-TVI, AHD, IP & Analogue (**VT532: NO AHD**)
- Recording @ 1080p resolution
- Synchronous playback at 1080p resolution
- Two-way audio
- **Simultaneous HDMI, VGA & BNC outputs (VT532: NO BNC)**
- **VCA (Video content analytics) - Line crossing detection & intrusion detection**
- Smart VCA (Video content analytics) search
- RS-485 for PTZ control, Playback at up to 256x
- Ethernet support for remote access
- Local Data Export via Network / USB
- 1 Audio In & 1 Audio Out (VT532TVI: 4 Audio In & 1 Audio Out)
- Up to 16 ch Alarm In & 4 ch Alarm Out
- Supports Mobiles – iPhone/ iPad, Android
- Up to 4TB HDD (VT532TVI: Up to 24TB HDD)
- **Immix Compatible**

3MP READY

ANALOGUE

HD-TVI

AHD

IP

VT504TVI (4 CH), VT508TVI (8 CH) & VT516TVI (16 CH)



GT532TVI (32 CH)



FREE APP **GUARDING EXPERT**

4, 8 & 16 CH TVI TURBO HD+ DVRs

Playback 25fps @ 1080p per camera

- Connectable to HD-TVI, Analogue and Network cameras
- Simultaneous HDMI and VGA outputs at up to 1920x1080P resolution
- BNC Output (**GT716TVI Only**)
- Redundant recording and holiday recording
- Instant playback for assigned camera during multi-channel live view mode
- Supports up to 16 ch synchronous playback at 1080P resolution; and reverse playback for multi-camera
- Smart playback to go through less effective information
- Customization of tags, searching and playing back by tags
- Locking and unlocking record files
- Supports HDD quota and group management; different capacity can be assigned to different cameras under quota mode
- 4 Audio In/ 1 Audio Out
- Up to 16 Alarm In/ 4 Alarm Out
- Up to 1 self-adaptive 10M/100M/1000M network interface
- Network detection function
- Support DDNS & P2P
- **Immix Compatible**

GT704TVI (4 CH)



GT708TVI (8 CH)



GT716TVI (16 CH)



FREE APP **GUARDING EXPERT**